

Audio set Siedle Basic
SET CAB 850-2 E/W

210008743-00



Product description

Siedle Basic audio set in bus technology with the functions calling, speech and door release.

Number of call buttons: 2

Each Basic set can be expanded with selected door and indoor stations and enhanced with switching functions and a telephony connection.

Scope of supply:

- Siedle Compact audio door station (CA 850-2 E)
- 2 audio indoor stations Siedle Basic (AIB 150-...)
- Set line rectifier (SNG 850-...)

SNG 850-0 performance features

- 10 bus addresses for supplying the bus users
- Integrated door release and light contact
- Programming: manual, Plug+Play or PC software

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
SET CAB 850-2 E/W	Audio set Siedle Basic	Brushed stainless steel	A	210008743-00


Spare parts


Article designation	Article description	Colour/Material	KG	SAP article no.
AIB 150-...	Terminals	Blue	E	200049391-00
CA 812-..., BCV/BCVU/CA/CAU/CV/CVU/ STA/STV 850-...	Loudspeaker	Others	E	200029867-00
CA 812-..., CA/CAU 850-...	Insert for info sign	White	E	200029872-00
CA 812-..., CA/CAU/CVU 850-..., CV 850-x-03, -04	Microphone	Others	E	200029868-00
CA 812-..., CA/CV 850-..., BCV 850-...	Siedle screw-turner	Others	E	200029931-00
CA 812-2, CA 850-2 E	Upper part of the housing	Brushed stainless steel	E	210008752-00
CA 812-2, CA/CAU 850-2, CV/CVU 850-2-...	Nameplate superstructure	Clear glass	E	200029865-00
CA 812-2, CA/CAU 850-2, CV/CVU 850-2-...	Nameplate insert	White	E	200029870-00
CA 850-2 E	Siedle Compact audio door station	Brushed stainless steel	A	210008734-00

Audio set Siedle Basic
SET CAB 850-2 E/W

210008743

Page 2





Audio set Siedle Basic
SET CAB 850-2 E/W

210008743

Page 3

SET CAB 850-x E/W Audio set Siedle Basic	Product information	5,7 MB	Download
SNG 850-0 Set line rectifier	Declaration of Conformity	1,8 MB	Download
AIB 150-0 Audio indoor station Siedle Basic	Declaration of Conformity	1,8 MB	Download
	Additional information	109 kB	Download